



超微量工業安全實驗室
Ultra Trace Industrial Safety Hygiene

測試報告

報告編號：

UG/2020/31366

日期：2020年04月10日

頁數：1 of 3



諾康生醫科技股份有限公司

臺北市內湖區堤頂大道2段181號9樓

以下測試之樣品係由申請廠商所提供及確認：

產品名稱：納米離子水PH12.5
申請廠商：諾康生醫科技股份有限公司
申請廠商地址：臺北市內湖區堤頂大道2段179號9樓
電話/聯絡人：02-26560555 / 葉姿伶 YE,ZIH-LING
樣品包裝：請參考報告末頁樣品照片
數量：6瓶*30ml
樣品保存方式：室溫
產品型號：PW125-30ml
產品批號：---
製造/國內負責廠商：鴻超環保能源股份有限公司
製造日期：2020
有效期限：3年
收樣日期：2020年03月18日
測試日期：2020年03月18日 ~ 2020年04月10日
委託測試項目：抗菌測試

測試方法：本測試參考U.S. Pharmacopeia Microbiological Tests / <51> Antimicrobial Effectiveness Testing
方法檢測。

測試結果：- 請見下頁 -



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



超微量工業安全實驗室
Ultra Trace Industrial Safety Hygiene

測試報告

報告編號：

UG/2020/31366

日期：2020年04月10日

頁數：2 of 3



諾康生醫科技股份有限公司

臺北市內湖區堤頂大道2段181號9樓

測試結果：

菌株名稱	原接菌量 (CFU/mL)	作用時間	樣品作用後之菌 量(CFU/mL)	滅菌率R(%)
枯草桿菌 (<i>Bacillus subtilis subsp.</i>)	1.9×10^5	30 分鐘	1.8×10^5	8.20

備註：1. 測試報告僅就委託者之委託事項提供測試結果，不對產品合法性做判斷。

2. 本測試報告之所有檢驗內容，均依委託事項執行檢驗，如有不實，願意承擔完全責任。

3. 本報告不得分離，分離使用無效。

4. 菌株編號：

枯草桿菌 BCRC 10447；ATCC 6633

5. 滅菌率R(%)小於1%則無明顯抑菌效果。

- END -

測試報告

報告編號：

UG/2020/31366

日期：2020年04月10日

頁數：3 of 3



諾康生醫科技股份有限公司

臺北市內湖區堤頂大道2段181號9樓

樣品照片

UG/2020/31366

